STS 118 Return Samples: Assessment of Air Quality aboard the Shuttle (STS-118) and International Space Station (13A.1)

The toxicological assessments of 2 grab sample canisters (GSCs) and one pair of formaldehyde badges from the Shuttle are reported in Table 1. Analytical methods have not changed from earlier reports. The recoveries of the 3 surrogates (13 C-acetone, fluorobenzene, and chlorobenzene) from the 2 GSCs averaged 120, 117, and 122 %, respectively. Three formaldehyde controls averaged 98% recovery. The Shuttle atmosphere was acceptable for human respiration.

Table 1. Analytical Summary of Shuttle Samples

| Sample Location | Date of | NMVOCs a | T Value ^b | Alcohols | Formaldehyde |
|-----------------------|---------|------------|----------------------|------------|---------------|
| • | Sample | (mg/m^3) | (units) | (mg/m^3) | $(\mu g/m^3)$ |
| Middeck (preflight) | 8/08/07 | 0.4 | 0.45 ^c | 1 | |
| Flight deck | 8/18/07 | | | | 38 |
| Middeck (end mission) | 8/21/07 | 4 | 0.10 | 0 | |

^a Non-methane volatile organic hydrocarbons.

The toxicological assessment of 8 GSCs and 6 pairs of formaldehyde badges from the ISS is shown in Table 2. The recoveries of the 3 standards (as listed above) from the GSCs averaged 99, 99 and 99%, respectively. Three formaldehyde control badges averaged 98% recovery.

Table 2. Analytical Summary of ISS Results

| Module/Sample | Approx. | NMVOCs ^a | T Value ^b | Alcohols | Formaldehyde |
|---------------|---------|---------------------|----------------------|------------|---------------|
| | Date | (mg/m^3) | (units) | (mg/m^3) | $(\mu g/m^3)$ |
| SM | 6/11/07 | 4 | 0.12 | 3 | 24 |
| FGB | 6/11/07 | 6 | 0.16 | 3 | |
| Lab | 6/11/07 | 6 | 0.14 | 4 | 32 |
| SM | 7/10/07 | 5 | 0.66^{c} | 3 | 20 |
| FGB | 7/10/07 | 7 | 0.13 | 6 | |
| Lab | 7/10/07 | 4 | 0.11 | 3 | 30 |
| SM | 8/2/07 | 4 | 0.14 | 3 | 20 |
| Lab | 8/2/07 | 4 | 0.13 | 3 | 25 |
| Guideline | | <25 | <1.0 | <5 | <120 |

^a Non-methane volatile organic hydrocarbons.

Based on these limited samples, the ISS atmosphere is acceptable for human respiration. The alcohol levels were well controlled throughout the period of sampling.

John T. James

John T. James, Ph.D.

Chief Toxicologist

^b Calculated excluding CO₂, formaldehyde, and siloxanes.

^c A trace of propenal contributed 0.42 units of this value

^b Calculated excluding CO₂, formaldehyde, and siloxanes.

^c A trace of propenal contributed 0.42 T units to this value. Other aliphatic aldehydes were slightly above normal levels.

Enclosures

Table 1A: Analytical concentrations of compounds found in the STS-118 GSCs

Table 1B: Analytical concentrations of compounds found in 13A.1 GSCs

Table 2A: <u>T-values of the compounds in table 1A</u>
Table 2B: <u>T-values of the compounds in table 1B</u>